

KENWORTH
VMXXR036-1
UNIT TYPE 2

CHASSIS FINAL BILL
FOR VIN 1NKZX4TXXHJ172821

PAGE 001
AS OF 11/10/16

DEALER CODE - C520
NAME AND ADDRESS
COLORADO KENWORTH, INC.

CUSTOMER NO - PSZO
BEDROCK SLINGERS LLC

DATES
REQ DELV 10/31/16

7007 SANDOWN ROAD

DELIVERY 11/10/16
PRIC EFF 11/10/16

DENVER CO 80216

PREVIOUS CHASSIS NO.

THE FOLLOWING LIST DESCRIBES ALL COMPONENTS USED FOR THIS CHASSIS
DIMENSIONS AND WEIGHTS FOR THE ENTIRE ORDER ARE STATED IN CUSTOMARY.

APPLICATION

COMMODITY HAULED 0091042 GRAVEL/CRUSHED ROCK/SAND
INTENDED SERVICE 0093130 CONSTRUCTION

BODY

BODY TYPE 0095035 STONE SLINGER
BODY LENGTH 276.00 IN BODY HEIGHT 138.00 IN
MAX LADEN WEIGHT 10000.00 LBS

TRAILER

TRAILER TYPE
TRAILER LENGTH .00 FT TRAILER HEIGHT .00 FT
KINGPIN .00 IN CTR LINE AXLE GRP .00 IN
CORNER RADIUS .00 IN NO TRAILER AXLES 00

OPERATING AREA RESTRICTIONS

LENGTH 120.00 FT WIDTH 102.00 IN HEIGHT 13.50 FT
**** DEALER ASSIGNED:

CHASSIS

FRONT AXLE LOAD 20000.00 LBS REAR AXLE LOAD 46000.00 LBS GCW 88000.00 LBS
WHEELBASE 264.00 IN FAX/BOC 74.00 IN CAB/AXLE 190.00 IN
CAB/EOF 310.00 IN MAXIMUM GRADE 06 PERCENT HIGHWAY 082 % CLASS B 010
% CLASS C 008
% CLASS D 000

UNIT TYPE 2

SPECIAL REQUIREMENTS
SPECIAL RESTRICTIONS 0098025 U.S. DOMESTIC REGISTRY

ENGINEERING ASSIGNED RATINGS

GAWR FRONT: 20,000.00 LBS
GAWR FIRST INTER 10,000.00 LBS SECOND INTER 23,000.00 LBS
GAWR REAR: 23,000.00 LBS
GVWR: 88,000.00 LBS

CODE	DESCRIPTION	PUB CD	WEIGHT
----	-----	----	-----
BASE MODEL			
0000810	T880 Series Conventional	P	15,236
0070060	T880	P	0
0080055	CARB IDLE EMISSIONS REDUCTION FEATURE	P	0
CUMMINS ENGINES			
0090000	NONSLEEPER	P	0
	With rear axle capacity less than 59K		
ENGINE AND ENGINE EQUIPMENT			
0123725	ISX15 525 2013 525@2000 1850@1200 with Intebrake, Linehaul Family 3	P	300
N0920	N205 120...STANDARD MAXIMUM SPEED LIMIT		
N0922	N207 0....EXPIRATION DISTANCE (N207)		
N0924	P13 120...HARD MAXIMUM SPEED LIMIT (P1		
N0926	P14 78...MAXIMUM ACCELERATOR PEDAL VE		
N0928	P16 0....ACCELERATOR LOWER DROOP (P16		
N0930	P19 78...MAXIMUM CRUISE SPEED (P19)		
N0932	P38 0....CRUISE CONTROL LOWER DROOP (
N0936	N203 252...RESERVE SPEED FUNCTION RESET		
N0938	N202 0....MAXIMUM CYCLE DISTANCE (N202		
N0940	N206 10...MAXIMUM ACTIVE DISTANCE (N20		
N0942	N201 0....RESERVE SPEED LIMIT OFFSET (
N0944	P11 YES...ENGINE PROTECTION SHUTDOWN (
N0946	P06 NO...GEAR DOWN PROTECTION (P06)		
N0948	P26 1400..MAX PTO SPEED (P26)		
N0950	P02 NO...CRUISE CONTROL AUTO RESUME (
N0952	P04 NO...AUTO ENGINE BRAKE IN CRUISE		
N0954	N209 0....EXPIRATION DISTANCE (N209)		
N0956	P520 YES...ENABLE IDLE SHUTDOWN PARK BR		
N0958	P32 5....TIMER SETTING (P32)		
N0960	P233 YES...ENABLE IMPENDING SHUTDOWN WA		
N0962	P234 60....TIMER FOR IMPENDING SHUTDOWN		
N0964	P516 35....ENGINE LOAD THRESHOLD (P516)		
N0968	P33 NO...IDLE SHUTDOWN MANUAL OVERRUL		
N0972	P230 YES...ENABLE HOT AMBIENT AUTOMATIC		
N0974	P46 40....LOW AMBIENT TEMPERATURE THRE		
N0976	P56 60....INTERMEDIATE AMBIENT TEMPERA		
N0978	P47 80....HIGH AMBIENT TEMPERATURE THR		
1000153	Prospector Version 38.2	P	0
	Replaces version 38.1		
1000168	Creep (Job Site) Load Review: W/ PSHR & /or tag	U	0

UNIT TYPE 2

CODE	DESCRIPTION	PUB CD	WEIGHT
1000684	Effective VSL Setting NA	P	0
1000858	Engine Idle Shutdown Timer Disabled	P	0
1000859	Enable EIST Ambient Temp Overrule	P	0
1000860	Enable EIST in PTO Mode Use only with MX and Cummins engines	P	0
1000891	Eff EIST NA Expiration Miles Use only with MX and Cummins engines	P	0
1002060	Air compressor:18.7 CFM FOR Cummins AND PACCAR PX engines.	P	0
1051200	Air Cleaner: composite firewall mounted PACCAR or Cummins engines	P	0
1099080	Pre-cleaner mounted in the hood plenum	P	0
1105220	Fan Hub: Horton 2-Speed for ISX15	P	0
1123555	COOLING MODULE: 1330 SQIN	P	0
1160205	BUG SCREEN FRT OF GRILLE C500,T800,T880 W900 BEHIND GRILLE T660,T680,T700,T300	P	2
1160728	LOWER RADIATOR DRAIN VALVE FOR EXPORT USE 1160741	P	0
1247165	EXH:RH under cab SCR w/dual SOC mounted tailpipes For Daycabs,or Modular SLPRS	P	99
1290236	Tailpipe: 5" Dual 36" 45 Deg Curved	P	0
1292944	Dual Lower Chrome Exhaust Elbow	P	0
1324402	Davco 382 Fuel Filter/H2O Sep Unheated W/12V, WIF Sensor, Cummins TRV	P	15
1500029	Kenworth Fuel Cooler See Extended Prospector Desc. for Usage	P	7
1504005	IMMERSION ENG BLOCK HTR:110-120V/1500W PLUG LOC UNDER DOOR C5, T6, T8 & W9	P	2
1812162	Alternator: 160 amp brushless w/ battery voltage sense.*Replaced 1812160	P	9
1821210	BATT: 3 PACCAR GP31 THR (700) 2100 CCA DUAL PURPOSE BATTERIES	P	0
1836100	PACCAR 12V STARTER	P	0
1840065	12V low voltage disconnect for starter battery protection	P	0
1900082	MULTI FUNCTION ENG CONN FOR BODY BLDR for Cummins	P	0
1900976	Body builder Ctrl harness coiled EOF F/ C/I remote throttle and PTO ctrls	P	2
1901079	J1939 HARNESS TO EOF FOR BODY BUILDER REQUIRES CODE 1900976	P	0
1903020	Decline Driver Performance Assistant (DPA)	P	0
MAIN TRANSMISSION AND CLUTCH			
2058744	FULLER RTLO18918B 18-SPEED SUPER 18 W/PUMP&14"OIL TO WTR EATON SUPL COOLER	P	121
2250640	Clutch:Eaton 15-1/2" Solo Advantage to 1860 lb-ft ceramic	P	7
2294080	Air-assisted Hydraulic Clutch	P	0
2408703	DRIVELINE:3 MERITOR RPL25 SD; 2 CTRBRG REQ 3500064 *Replaces 2408702	P	170

UNIT TYPE 2

CODE	DESCRIPTION	PUB CD	WEIGHT
2410047	HI CAP INPUT SHAFT BRG F/HI PTO DUTY CYCLE	P	0
2429351	First PTO Compatibility/Eaton/BTM Mtd Standard Clutch Actuator/Single Acting	P	0
2429358	Trans PTO Rear Trans Supt Spring(s)	P	0
2429361	C/I First Eaton Trans PTO	P	0
2460042	14" EATON/FULLER HI CAP OIL TO WTR CLR STD F/TRAN 1550-2250LBFT.	P	0
2480315	SEVERE SERVIC REAR TRANS SUPT SPRING(S)	P	15
2493009	Aluminum clutch housing	P	0
2494050	Grease bank for clutch throwout bearing	P	4
FRONT AXLE AND EQUIPMENT			
2517020	MERITOR MFS20 20K 3.5" DROP STD TRACK	P	150
2621078	FR BRK: BENDIX ES 16.5X6*MAX CAP 22K	P	46-
2690032	FR BRK DRUM: TRU TURN LITE 16.5X6 MAX RATING 20K	P	79
2702020	HUB:IRON*HUB PILOT*MAX CAP 20K* 16.5X6" OR 7" OR AIR DISCBRKS 11.25" BC*10-BOLT	P	79
2741970	CONMET PRESET PLUS HUB PKG FRONT AXLE	P	0
2750001	FR HUBCAP: VENTED	P	0
2765001	FR AUTO SLACK ADJUST	P	0
2866020	FR SPR:TAPERLEAF 20K W/SHOCK ABSORBERS	P	240
2895302	PWR STRG:DUAL GEAR*SHEPPARD HD94*16-22K HEAVY DUTY, Not for use on T3	P	73
2899336	PWR STRG COOLER: RADIATOR MOUNTED 2007 + engines only	P	11
2900616	THREADED BUSHINGS F/TAPERLEAF SPRGS 16K, 18/20K, 22K, 40K REPLCING RUBBER	P	0
REAR AXLE AND EQUIPMENT			
3142171	MERITOR RT46-164PEH*46K*DUAL*SING RED .63"(16MM)WALL HSG	P	558
3200391	REAR AXLE RATIO-3.91	P	0
3334004	RR BRK:BENDIX ES S-CAM 16.5X7 DUAL 46K MAXIMUM; EXTENDED SERVICE	P	0
3392026	RR BRK DRUM: TRUTURN LITE 16.5x7 DUAL	P	26-
3407050	RR HUB:AL HUB-PILOT DUAL 11-1/4"BC REQUIRES "R" SERIES OUTER ENDS	P	0
3441972	CONMET PRESET PLUS HUB PKG DUAL RR AXLE	P	0
3465002	RR AUTO SLACK ADJUST: DUAL	P	0
3485208	SPRING BRK: 3036 DUAL	P	15
3495226	ABS:BENDIX 4S/4M	P	0
3500016	FR WHL+2 GRP RR WHL*AVL ONLY W/AIR BRK GAWR/GVWR MANUALLY DERATED DUE TO CREEP RATING	U	0
3500058	DRIVELINE:1 MERITOR RPL20 INTERAXLE; REPLCNG I/A *USE W/ RPL 25 MAIN D/L	P	0
3511420	CROSSLOCK: MERITOR 40-52K FWD RR/RR RR* W/CAB CNTRL*N/A W/-185, 380 OR RT52-160	P	40
3573111	Separate switch f/dual axles: diff lock or crosslock	P	0

UNIT TYPE 2

CODE	DESCRIPTION	PUB CD	WEIGHT
3749204	CHALMERS 854-46-H-HS 46K DUAL 54" AS High center of gravity application.	P	110
3808519	2STRBL PSHR: WCAL 13.5K SL1190SSR ALUMILITE	P	2,542
3818119	1STRBL TAG: WCAL 13.5K SL1190SSR ALUMILITE	P	1,272
3820037	2STRBL PSHR BRK: Bendix Non-RSD15X4 Use with 13.5K axle	P	0
3820039	1STRBL TAG BRK: Bendix Non-RSD15X4 Use with 13.5K axle	P	0
3820524	2STRBL PSHR: 15x4 CAST DRUM F/USE with 13.5K axle	P	0
3820526	1STRBL TAG: 15x4 CAST DRUM F/USE with 13.5K axle.	P	0
3821122	2STRBL PSHR HUB: ALUM*HUB PILOT* for use with 13.5K axle	P	0
3821124	1STRBL TAG HUB: ALUM*HUB PILOT* for use with 13.5K axle	P	0
3827220	LOCKING KIT W/STRBL TAG*REQD W/MULTIPLE AXLES	P	31
3828336	Pusher or Tag: gauge/switch dash-mt; ga & press regulator tie-strapped to rail	P	0
3832026	SHOCK ABSORBER: CHALMERS*MAX CAP 52K	P	35
3841047	1ST PSHR LOC: 47" FROM C/L FWD RR/SING RR AXLE	P	0
3842091	2ND PSHR LOC: 91" FROM C/L FWD RR/SING RR AXLE	P	0
3844056	TAG LOC: 56" FROM C/L RR RR/SING RR XL	P	0
TIRES, WHEELS & RIMS			
4017183	FR MICHELIN XZY3 425/65R22.5 20PR AP 44.7in. DIA	P	190
4784744	PART: MN425/65R225LXZY3 FET: 74 *STRBL TAG:2 BR R250ED 255/70R22.5 16PR	P	37-
4785744	PART: BR255/70R225HR250ED FET: 38 2STRBL PSHR:4BR R250ED 255/70R22.5 16PR	P	75-
4277522	PART: BR255/70R225HR250ED FET: 38 RR BRIDGESTONE M853 11R22.5 16PR	P	196
4900008	AP		
5045216	PART: BR225000 FET: 232 CODE-REAR TIRE QTY 08. FR WHL:ALCOA 82362 22.5X12.25 AL	P	11-
5788540	HUB PIL MNT DISC BRK COMP LVL1 STRBL TAG:ALCOA ULTRA 22.5X8.25 AL	P	55-
5789539	HUB PIL MNT. ADB COMP. LVL1 2 STRBL PSHR:4 ALCOA ULTRA 22.5X8.25 AL	P	112-
5859010	HUB PIL MNT. ADB COMP. LVL1 SING FR AXLE:DURA-BRIGHT BUFFED	P	0
5859012	OUTBOARD SURFACE OF WHEELS (QTY2) -1DB DUAL RR AXLE:DURA-BRIGHT BUFFED	P	0
	OUTBD SURFACE OF OUTER WHLS(QTY 4) -2DB		

UNIT TYPE 2

CODE	DESCRIPTION	PUB CD	WEIGHT
5859032	2 PSHRS: DURA-BRIGHT OUTBD WHLS	P	0
	BUFF MTD SAME AS FRT:STRBL OR NON-STRBL		
5859034	1 TAG: DURA-BRIGHT OUTBD WHLS	P	0
	BUFF MTD SAME AS FRT:STRBL OR NON-STRBL		
5245162	RR wheel:Alcoa 88367 22.5x8.25 AL	P	176-
	HUB PIL MNT LVL1		
5900008	CODE-REAR RIM QTY 08.		
FRAME AND EQUIPMENT			
6056680	FRAME RAILS:10-3/4 X 3/8" STL 417-480"	P	0
	SECTION MOD:17.80, RBM:2,132,000 LBS,		
6141600	FULL STL INSERT F/ 10-5/8" OR 10-3/4"	P	0
	STL 337-416" OR 2ND INSERT F/ 11-5/8"		
6302461	BUMPER:TAPERED CHROME STEEL CHANNEL	P	64
	REQS BUMPER SETTING CODE		
6319485	48.5 INCH BUMPER SETTING*REQS BUMPER	P	0
	CODE		
6324025	FRONT TOW HOOK: CAST CENTER MT - C5B	P	29
	REQS STL & T8 REQS IRON FRT DRIVE BRKTS		
6397001	HUCK BOLTS THROUGHOUT FRAME WHERE POSS-	P	0
	IBLE;MAY NOT INCLUDE SUSP CM		
6400636	BATT BOX: CANTLVR AL BOC W/ FBGL CVR	P	9
6409902	BATTERY BOX LOCATION: RIGHT HAND SIDE	P	15
6451094	T470,C5,T6,T8 POLISH DPF/SCR OR CNG	P	31
	COVER W/STEP. CAB ACCESS RH UNDER		
6490440	HEAVY DUTY BOC CROSSMEMBER ASSEMBLY	P	22
6679824	Width across front tires exceeds 102".	P	0
	Dealer to review delivery constraints		
	with transporter.		
6679954	DLR ACKNOWLEDGES TRUCK WIDTH IS >102"	U	0
6721102	RR MDFLP ARMS:BETTS B25 STD DUTY	P	0
	STRAIGHT (KIT INCL B1732 MTG BRKTS)		
6722000	RR MDFLP SHIELDS:WHITE PLASTIC KW LOGO	P	0
	ANTISAIL		
6742009	SQUARE END OF FRAME: W/O CROSS MEMBER	P	0
FUEL TANKS AND EQUIPMENT			
7210120	FUEL TANK:120 US GAL 24.5" AL UND RPL	P	64
7722019	DEF TANK: MEDIUM ROUND	P	33
	20.7 GAL USEABLE **2013 OR LATER		
7812238	1 ADD'L STD TANK SUPPORT F/1 TANK	U	18
	(NOT HEAVY DUTY 7" WIDE SUPPORT)		
7813002	ADDITIONAL TANK SUPPORT LOC: LH UNDER	U	0
7831042	F/T Steps: 6" Wide Upper & Lower F/1 LH	P	9
	Und Round Tnk 24.5". NFPA Compliant.		
	Includes fuel tank crossbrace.		
7840015	POLISH ONLY: 1 ALUMINUM TANK	P	0
7840038	POLISHED COVER:1 DEF TANK ANY SIZE	P	2
7880009	MECHANICAL ANTI-ROLL CHANNEL: 1 TANK	P	7
7889061	POLISHED STRAPS: 1 TANK ANY SIZE	P	0
7889203	STANDARD DEF TO FUEL FILL RATIO: 2:1 OR	P	0
	GREATER		

UNIT TYPE 2

CODE	DESCRIPTION	PUB CD	WEIGHT
7889245	ANTI-SIPHON DEVICE F/TANK FILLER NECK ANY NUMBER OF TANKS	P	0
7889604	DEF TANK LOCATION: LH	P	0
7920120	LOCATION LH UNDER CAB 120 GAL.		
CAB AND EQUIPMENT			
8025301	CAB: Stamped Alum, Panoramic Curved Windshld, w/ LED Marker Lights, Signals	P	0
8090604	Hood: T880 Standard Length	P	15
8108002	W/Mechan. Fastened Fenders. 122.6" BBC Filter: Fine Particulate for HVAC	P	0
8108011	cabin air in high dust applications. Htr/Air Con w/defrst & auto temp ctrl	P	0
8190138	*48K BTU/hr heater *Daycab/40in SLPR Shutoff Vlvs to Isolate Primary Heater	P	0
8201013	Remote mtd on frame und cab		
8201200	STEERING WHEEL: 18" 4-SPK STRG COLUMN:ADJ TELESCOPNG TILT*CODE	P	0
8203060	F/18" STRG WHEEL* 5 SETS OF KEYS. REPLACES STANDARD (2 SETS OF KEYS).	P	0
8205164	DASH SWITCH:1ST SINGLE-ACTING EATON-MOUNTED PTO	P	0
8208496	SW: 3 SPARES WIRED TO POWER	P	0
8221160	GAU: OIL TEMP ENG W/INTEGRAL WARN LT	P	0
8222722	GAU: MANIFOLD PRESS	P	0
8222794	GAU: HOUR METER F/PTO DASH MT	P	0
8226667	GAU: OIL TEMP MAIN TRANSMISSION	P	0
8282007	Kenworth Driver Performance Center: 5in Full Color Active Matrix Info Display	P	0
8282013	Kenworth Instrumentation & Control Pkg *w/ 9 Std. Easy Read Gauges	P	0
8300008	Interior color: Slate Gray	P	0
8330102	INTERIOR PACKAGE: VANTAGE DAYCAB	P	0
8390634	Floormat: Rubber material	P	0
8410271	DR Seat: KW GT702 HB w/ DuraSupreme Material, Integral Heat, Air-Ride Susp.	P	11
8480099	RD Seat: KW GT100 IB Toolbox Seat w/ DuraSupreme Material	P	0
8490187	Seat color:Slate Gray w/gray stitching	P	0
8497005	AIR LINE FITTING @ DR SEAT FOR C/I AIR CHUCK*N/A W/8700042*	P	4
8601421	Kenworth Radio with AM/FM/WB/USB and Bluetooth	P	4
8601880	CB RADIO: COBRA 29 *INCL WEATHERBAND* HI MT IN HDR W/HDR MTD QUICK RELEASE	P	11
8698982	SPKRS: Mid Level Audio System- Daycab: High Performance Door and B-Pillar	P	4
8700168	TURN SIGNAL SWITCH: COLUMN-MTD DIMMER INCL INTERMITTENT WIPER CONTROL	P	0
8700663	Kenworth TruckTech+ Formerly Remote Diagnostics	P	0

UNIT TYPE 2

CODE	DESCRIPTION	PUB CD	WEIGHT
8800260	GRABHANDLE: 1 LONG RH mtd SOC exhaust	P	2
8800262	GRABHANDLE: 1 LONG LH mtd SOC exhaust	P	2
8800402	Grabhandles: Dual cab-interior,A-pillar mtd dash wrap & B-pillar mtd handles	P	0
8832113	Daylite Door: KW w/ Std LH/RH elec door locks and LH/RH elec window controls	P	0
8841618	AIR HORN: DUAL RECT 23" LH/RH ROOF INCL AIR HORN COVERS	P	4
8850139	Look-down, pass. door, Black 11x6	P	0
8865002	MIRR: DUAL KW AERO MOTOR HTD 7"X13"	P	0
8871446	SHELL CAB CLR-ARMS BLK W/ 6"X7" CX MIRR RR CAB Window: fixed 19"X36" NOT AVAILABLE W/SLEEPER	P	0
8879917	RR cab windows: (2) add'l 19"X12" outboard	P	11
8890036	ALUM Record Holder Mtd on Toolbox or Utility box Seat Base	P	2
8890101	Windshield: 1-pc bonded-in w/ curved glass	P	0
8890135	SUNVISOR:EXTERIOR STAINLESS STEEL	P	20
8890300	FENDER CLOSE-OUT BELOW HEADLAMP BEHIND BUMPER *NOT W/ 3-PC BUMPER	P	0
8890348	Wheelwell FNDR Extension: 4.5"	P	0
8890876	Kenworth cab/sleeper air suspension	P	0
8891013	Extreme Temp Insulation: Daycab Increase over standard insulation pkg	P	0
LIGHTS AND SIGNALS			
9010553	Headlamps: SAE Dual Halogen Complex Reflector	P	0
9022137	MARKER: 5 RECTANGULAR LED	P	0
9030016	Turn Signal Lights: Flush MTD LED MTD at top of fender wheel arc.	P	0
9030052	LED STOP/TURN/TAIL: WITH 2 LED B/U LIGHTS AND W/ LED LICENSE PLATE	P	0
9052011	FLOODLIGHTS: DUAL FLUSH 1ST SET	P	2
9059921	1ST SET LOC: LOW F/DUAL (LH IF SINGLE)	P	0
9090027	HEADLAMPS TO TURN ON WHEN WIPERS ARE ACTIVE	P	0
9090039	INTERRUPTER SWITCH FOR MARKER LTS B-CAB:INCL IN TURN SIGNAL;T3 IN DASH	P	0
9090115	REFLECTORS: 2 AMBER MIDFRM-MTD F/FULL TRUCK*FOR TRACTOR USE 9090117*	P	0
9090126	BACKUP ALARM: ELECTRIC	P	4
9090316	JUNCTION BOX: END OF FRAME	P	0
9090849	Polyswitches repl fuses Switch will auto reset after removal of excess load	P	0
AIR EQUIPMENT			
9101230	AIR DRYER:BENDIX AD-IS EXTENDED PURGE HEATED	P	4

UNIT TYPE 2

CODE	DESCRIPTION	PUB CD	WEIGHT
9108001	MOISTURE EJT VLV: PULL CABLE DRAIN	P	0
9140020	NYLON AIR TUBING: FRAME/CAB	P	0
9140085	BENDIX LQ-5 RATIO VLV F/KW INSTLD PSHR/ TAG OR F/CI PSHR/TAG W/SPEC AIR SYSTEM	P	2
9290203	ORDER REVIEWED BY APPLICATIONS TECH: Michael Ward 740-774-5344	U	0
9400071	GLIDER KITS AND ASSEMBLIES SPECIFY SHIP DESTINATION BY NARRATIVE	P	0
9409852	SPECIAL EQUIPMENT GHG Secondary Manufacturer: Does Not Apply	P	0
9490003	OFF HIGHWAY/SPECIALTY COMPONENT TRUCK ADDITIONAL LEADTIME REQUIRED	P	0
9490206	WARNING TRIANGLE REFLECTOR KIT: 3 TRIANGLES IN PLASTIC CASE	P	4
9490417	FIRE EXT: ONE 5# DRY CHEMICAL TYPE MTD INBOARD OF DR. SEAT. Class ABC.	P	11
N9400	SHIP TO: CHILLICOTHE, OH S054 FOR PDI		
N9401	THEN TO: W.K. DAHMS MFG, LTD		
N9402	3074 SAWMILL RD		
N9403	ST JACOBS, ON NOB 2NO		
N9404	CONTACT: SCOTT NELSON 519-577-4562		
9700000	PAINT COLOR NUMBER PAINT COLOR NUMBER	P	0
N9702	A - L0346EY MEDIUM CONCOR		
N9720	FRAME N0001EA BLACK		
9800001	NOTES ***NOTE:REQUESTS PRECEDED BY N98XX ARE DISAPPROVED-OAR GRP #425-828-5245/5656.	U	0
N9801	CONNECTION BTWN PTO SW & ENG REQUIRES 1		
N9802	C**** (J** S****) L*** R*****: W/ PSHR &		
N9803	C**** (J** S****) L*** R*****: W/ PSHR &		
N9804	C**** (J** S****) L*** R*****: W/ PSHR &		
9943004	PAINT BUMPER UNPAINTED	P	0
9943052	Day Cab Pearl/Metallic Paint	P	0
9944820	1 Color Paint Day Cab White If No Color Specified	P	0
9960006	***PAINT SKETCH VERIFIED***	U	0
9965510	PAINT:BASE COAT/CLEAR COAT*REQS PAINT EXTERIOR & PAINT COLOR L SERIES CODES*	P	0
N9994	EMAIL: TIM.MARTIN@MHCTRUCK.COM		
N9995	CELL PHONE: 7206951360		
N9996	SALESPERSON ID: KAELASTRATMA		
N9997	DEALER CONTACT		
N9998	NAME: TIM MARTIN PH:7209410813		
N9999	JMW 10/19/16 OC010		

UNIT TYPE 2

CODE	DESCRIPTION	PUB CD	WEIGHT
-----	-----	----	-----
			** TOTAL ESTIMATED WEIGHT
			21,492

BELOW CHARGES NOT INCLUDED IN TOTAL LIST PRICE
9509644 - SPECIAL INVOICING - CUMMINS LTA - ISX
9509739 - SALES ORDER PROCESSING - D
ADJUSTED LIST PRICE

PROMOTION PROGRAM CODE @ 0.00 %

OPTIONAL EXT WTY & PRV MNT
6679813 - 2013 EPA Emissions Diesel or Gas Engine
ULTRA LOW SULFUR DIESEL FUEL ONLY
9200021 - STANDARD WARRANTY
TOTAL OPTIONAL EXT WTY & PRV MNT

TOTAL TIRE FET INCLUDED -- AS PRODUCED

MARKETING AND SERVICE SUPPORT FEE

** WEIGHT SHOWN HERE IS AN ENGINEERING ESTIMATE AND DOES NOT INCLUDE
UNPUBLISHED OPTIONS. ACTUAL "SHIPPING" WEIGHT MAY VARY.